

Serial No. 10/647,786  
Examiner: FLEMING, Faye M.  
Art Unit 3818

Page 3 of 7

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of the claims in the application:

1. **(Currently Amended)** An ATV comprising:

a frame;

only four wheels suspended from the frame, two of which are front wheels and two of which are rear wheels, the front wheels defining a front axis and the rear wheels defining a rear axis, the front axis and the rear axis defining a wheelbase of ~~greater than 51~~ between 55 and 72 inches, each wheel including ~~an ATV-type a~~ a tire;

two shock absorbers connected to the frame, the shock absorbers associated with the rear wheels;

a power unit for driving at least one of the wheels disposed on the frame;

a straddle-type seat disposed on the frame; and

handlebars for steering at least one of the wheels disposed on the frame.

2.-6. **(Cancelled)**

7. **(Currently Amended)** The ATV of claim ~~[[6]]~~ 1, wherein the wheelbase is between 55 and 65 inches.

8. **(Original)** The ATV of claim 7, wherein the wheelbase is between 56 and 64 inches.

9. **(Currently Amended)** An ATV comprising:

a frame;

only four wheels suspended from the frame, two of which are front wheels and two of which are rear wheels, the front wheels defining a front axis and the rear wheels defining a

Serial No. 10/647,786  
Examiner: FLEMING, Faye M.  
Art Unit 3618

Page 4 of 7

rear axis, the front axis and the rear axis defining a wheelbase of ~~greater than 54~~ between 55 and 72 inches, each wheel including ~~an ATV-type~~ a tire;

a power unit disposed on the frame;

a drive shaft operatively interconnecting the power unit with at least one of the wheels;

a straddle-type seat disposed on the frame; and

handlebars for steering at least one of the wheels disposed on the frame.

10.-13. (Cancelled)

14. (Currently Amended) The ATV of claim [[13]] 9, wherein the wheelbase is between 55 and 65 inches.

15. (Original) The ATV of claim 14, wherein the wheelbase is between 56 and 64 inches.

16. (Currently Amended) An ATV comprising:

a frame;

only four wheels suspended from the frame, two of which are front wheels and two of which are rear wheels, the front wheels defining a front axis and the rear wheels defining a rear axis, the front axis and the rear axis defining a wheelbase of ~~greater than 54~~ between 55 and 72 inches, each wheel including ~~an ATV-type~~ a tire;

a power unit disposed on the frame;

a drive shaft operatively connected to the power unit;

a differential operatively interconnecting the drive shaft with at least one of the rear wheels;

Serial No. 10/647,788  
Examiner: FLEMING, Faye M.  
Art Unit 3816

Page 5 of 7

a straddle-type seat disposed on the frame; and

handlebars for steering at least one of the wheels disposed on the frame.

17.-21. (Cancelled)

22. (Currently Amended) The ATV of claim [[21]] 16, wherein the wheelbase is between 55 and 65 inches.

23. (Original) The ATV of claim 22, wherein the wheelbase is between 56 and 64 inches.

24. (Original) The ATV of claim 23, wherein the drive shaft includes a universal joint.

25. (New) The ATV of claim 1, wherein each of the tires has an air pressure of less than 1kg/cm<sup>2</sup>.

26. (New) The ATV of claim 9, wherein each of the tires has an air pressure of less than 1kg/cm<sup>2</sup>.

27. (New) The ATV of claim 16, wherein each of the tires has an air pressure of less than 1kg/cm<sup>2</sup>.

28. (New) The ATV of claim 8, wherein the wheelbase is between 58 and 62 inches.

29. (New) The ATV of claim 15, wherein the wheelbase is between 58 and 62 inches.

30. (New) The ATV of claim 23, wherein the wheelbase is between 58 and 62 inches.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**